



Food Plant Solutions Brief Guide to Food Plant Gardens in the Blue Mountains

Our bodies need nutrients to be healthy and strong - nutritious food provides

Starch:

Starch provides sustained energy for the body.

Protein:

Protein helps the body repair cells and make new ones. Protein is also important for growth and development in children, teens, and pregnant women. Symptoms of protein deficiency include wasting and shrinkage of muscle tissue, and slow growth (in children).

Vitamin A:

Vitamin A is very important for eyesight and fighting disease, particularly in infants, young children and pregnant women. People who are short of Vitamin A have trouble seeing at night.

Vitamin C:

Vitamin C helps us avoid sickness, heal wounds, prevent infections and absorb iron from food. Severe vitamin C deficiency increases the risk of scurvy with symptoms such as inflammation of the gums, scaly skin, nosebleed and painful joints.

Iron:

Iron is important because it helps red blood cells carry oxygen from the lungs to the rest of the body. Low levels of iron cause anaemia, which makes us feel fatigued. Iron is also important to maintain healthy cells, skin, hair and nails. Iron is more available when Vitamin C is also present.



Zinc:

Zinc is particularly important for the health of young children and teenagers, and to help recovery from illness. It is needed for the body's immune system to work properly. It plays a role in cell division, cell growth, wound healing, and the breakdown of carbohydrates. Zinc is also needed for the senses of smell and taste. Zinc deficiency is characterized by stunted growth, loss of appetite, and impaired immune function.

Starchy Staples provide energy and dietary fibre

Common Name	Scientific Name	Cultivation:	Use:	Nutrients:
Beetroot	<i>Beta vulgaris</i>	Plants are grown from seed. Normally the plants are planted in the final site because transplanting is difficult. When the small clump of seeds or seed ball are planted more than one seedling will result. Plants get a soft heart due to boron deficiency. This is treated with borax. <i>Seeds and seedlings can be planted out in autumn.</i>	The red tubers are eaten after cooking. The root is also dried and powdered, and the flour mixed with barley or wheat. They can be pickled or fermented as beetroot juice. They are often boiled, sliced and served with vinegar. Tops or leaves are edible. They are cooked in soups and stews.	Root (cooked): Energy Leaves (raw): ProvitA, VitC, Iron
Jerusalem artichoke	<i>Helianthus tuberosus</i>	Plants are grown from vegetative setts. These can be dormant for 7 months before they will grow. The flowers on the plants are removed to increase the yield. Tubers are often sweetest after a frost.	The tubers are eaten boiled or baked. They can be steamed, fried, pickled, pureed, or used in soups and casseroles. They can be eaten raw in salads. Roasted tubers are used as a coffee substitute.	Energy, Protein, Iron
Parsnip	<i>Pastinaca sativa</i>	Plants are grown from seeds. Sow direct into final growing position. Keep soil moist after planting seeds, seeds must not dry out or poor germination results. Often a board placed on top of the row after planting and lifting off as soon as seedlings emerge aids germination. <i>Seeds can be planted in autumn.</i>	The root is cooked and eaten. It can be boiled, baked, fried or used in stews. The roots are also made into marmalade, syrup, beer and wine. The young shoots and leaves are added to soups or cooked and eaten as a vegetable. The seeds can be used as a spice.	Energy

Legumes provide protein for growth

Common Name	Scientific Name	Cultivation:	Use:	Nutrients:
Soybean	<i>Glycine max</i>	It is grown from seed direct planted or in a nursery and then plants transplanted to the garden. Plants need to be about 20cm apart. <i>Plant in garden in spring once all frosts have finished.</i>	The young pods and ripe seeds are eaten. The dried seeds are boiled or baked and used in soups, stews and casseroles. Toasted seeds are eaten like a snack. Sometimes the young leaves are eaten.	Energy, Protein, ProvitA, Iron
Pea	<i>Pisum sativum</i>	Plants are grown from seed. Seed can be collected for re-sowing. A spacing about 5cm apart in rows 25cm apart is suitable. Seed can be 3-5cm deep. If rotting is a problem, plants can be supported off the ground. <i>Seed can be sown in autumn directly into the garden or into punnets/trays and transplanted once germination has occurred.</i>	Mostly the young seeds are eaten. They can be eaten raw or cooked. Sometimes the young pods and leaves are eaten. The flowers are eaten in salads. The sprouted seeds are eaten. The young leaves and buds are cooked as a vegetable. The dry seeds are eaten. They are used in soups and stews and ground into flour.	Seed raw: Protein, ProvitA, Iron Seed boiled: ProvitA
Broad bean	<i>Vicia faba</i>	The crop is grown from seed. Seeds are sown at 15 to 40cm spacing. If the seed pod formation is poor, it can be improved by pinching out the tops of the plants when in flower. Plants are self-pollinated but also cross pollinated by insects. <i>Seed can be sown direct in autumn into punnets/trays and transplanted once germinated.</i>	It is mostly the young beans that are eaten. The ripe beans and leaves are also edible. The dried beans can be boiled, ground into flour and added to soups or used for making tofu. Sprouted seeds are cooked and eaten.	Protein, Iron

Leafy Greens are a source of iron

Common Name	Scientific Name	Cultivation:	Use:	Nutrients:
Kale	<i>Brassica oleracea</i> var. <i>acephala</i>	Space plants 35cm apart. <i>Sow in a nursery and transplant to the garden in autumn or sow direct in spring and summer.</i>	The leaves are eaten boiled. They can also be steamed and used in soups and stews. Young leaves are used raw in salads.	VitC, Iron
Silver beet	<i>Beta vulgaris</i> subsp. <i>cicla</i>	A spacing of 30cm between plants is suitable. Seed are sown 2.5cm deep. <i>It is grown from seeds, or transplanted seedlings. Seed can be sown in autumn in trays/punnets and transplanted once germination has occurred.</i>	The leaves and stalks are cooked and eaten. Can be eaten raw in salads. The leaf stalks can be cut from the leaf and cooked separately as an asparagus substitute.	ProvitA, VitC, Iron and Zinc
Corn salad	<i>Valerianella locusta</i>	Generally, best grown during the cooler months in areas with a hot summer. <i>Sow seed direct into the soil also under cover for an earlier sowing in mid-late winter.</i>	The leaves are eaten mostly fresh. They are used in salads. They can be lightly cooked and used in soups and omelettes. The flowers and flower stalks are eaten.	VitC, Iron

Fruit is an important source of vitamins and dietary fibre

Common Name	Scientific Name	Cultivation:	Use:	Nutrients:
Strawberry	<i>Fragaria x ananassa</i>	Plants are grown from runners. These runners form roots and then new plants. Plants are spaced about 45cm apart in rows 75cm apart. <i>Plant in August.</i>	The ripe fruit are eaten raw. They are also used in desserts. They are also used in jams, preserves and for flavouring.	VitC
Cape Gooseberry	<i>Physalis peruviana</i>	Frost tender. Plants should be spaced 45cm apart. They regrow from seed each year. <i>Do not plant seedlings or sow seed until all frosts are finished.</i>	The ripe fruit are eaten fresh or cooked. They are used for jam. They can be dried, preserved, stewed, pureed, or used in pies, cakes, jellies and sauces.	ProvitA, VitC
Rhubarb	<i>Rheum rhabarbarum</i>	It is grown by division of the rootstock. The flower stems are removed to give a better yield of leaf stalks next season. Rhubarb likes a rich soil, so add compost and natural fertilisers.	The leaf stalks are cooked and eaten. They need sweetening. They are used to flavour ice cream, jams, jellies, sauces, cakes, tarts, puddings, and are also stewed. CAUTION: Do not eat the leaves, they are poisonous.	VitC

Vegetables are an important source of vitamins and dietary fibre

Common Name	Scientific Name	Cultivation:	Use:	Nutrients:
Kohl rabi	<i>Brassica oleracea</i> var. <i>gongylodes</i>	The seed can be sown direct or in a nursery and transplanted. <i>Seed can be sown in autumn.</i>	The bulb is mostly cooked and eaten. It can be added to soups. It can be lightly simmered in coconut milk with spices. It can be eaten raw. The young leaves are edible. It is best eaten when young before needing to be peeled and this preserves the flavour.	Protein, VitC, Iron
Broccoli	<i>Brassica oleracea</i> var. <i>italica</i>	The seeds are planted in a nursery then transplanted. They are transplanted after 4-6 weeks. A spacing of 60cm x 60cm is suitable.	The central flower is cooked and eaten. The leaves are edible. The sprouted seeds are eaten.	ProvitA
Carrot	<i>Daucus carota</i> subsp. <i>sativus</i>	They are grown from seeds sown directly. Because seed are very small, seed are mixed with sand before sowing to allow a more even distribution of plants. A spacing 5cm apart in rows 15-20cm apart is suitable. Often this spacing is achieved by thinning out plants <i>Seed can be sown in Autumn.</i>	Both the roots and the leaves are edible. The young leaves are used in soups. The roots can be eaten raw or cooked. They can be steamed, fried, pickled, made into jam, or used in stews. Carrot seed oil is used as a flavouring. The juice is used raw and fermented. The roots can be dried and the flour used to flavour and thicken soups.	ProvitA, VitC, Iron, Zinc

Starting a Garden

PLAN:

- Identify a suitable location for the garden. Factors to consider include:
 - A site that receives 6-8 hours a day of sunlight and is not shaded by buildings or trees.
 - Easy access – a garden that is difficult to get to will not be maintained.
 - Protection from predators like native animals. If this is an issue, consider what can be used as a barrier and install it before planting.
 - Adequate and easily accessed water, whether it be a garden hose or a watering can.

SIZE:

- Gardens can be all different sizes. Plan the size of your garden – what space is available and how much time do you have? Start small and increase the size as you become more confident.
- If space is limited, remember plants can be successfully grown in containers or pots.

TOOLS AND EQUIPMENT:

- What do you need to turn over the soil, to plant seeds and seedlings (e.g. shovel, hand trowel, hoe) and how will soil be moved to cover seeds (e.g. rake). Can you borrow tools to reduce your start-up costs?

BUILD:

- Clear the area, removing any existing plants and large weeds (turn the soil – dig, lift and turn it over onto itself).
- Once the soil has been loosened, spread compost and work it into the soil. Avoid stepping on freshly turned soil, as this will compact the soil and undo your hard work.

Once the digging is complete, smooth the surface with a rake and water thoroughly.


- Allow the bed to rest for several days before planting.
- Use a good quality potting medium if using pots and containers.

PLANT:

- Seeds and seedlings can be purchased from nurseries, garden centres and most hardware stores. A packet of seeds will grow a lot of seedlings, but take longer to mature than seedlings directly transplanted.
- Plant seeds and seedlings in accordance with their specific directions and apply sufficient water to ensure the soil around the seeds and/or seedling roots is moist.
- Consider how tall and wide each plant will grow when planning the space between plants. Information on seed packets or seedling labels will indicate the appropriate distance between neighbouring plants.
- Add a thick layer of mulch around seedlings to help keep the soil moist.
- Make small signs to stick in the ground to show what you have planted.

MAINTAIN:

- Plants need regular watering, which ideally should occur either early in the morning, or late in the day.
- Weeds will compete with the plants for nutrients and water, so it is important to keep them to a minimum. Hand weeding and adding mulch around seedlings will help keep weeds under control.



Acknowledgements:

This guide is based on information from the Food Plants International (FPI) database, "Edible Plants of the World", developed by Tasmanian agricultural scientist Bruce French AO.

Food Plant Solutions Brief Guide to Food Plant Gardens in the Blue Mountains, is a limited selection of food plants, which is intended as a Draft Guide only, to identify some local food plants that have high levels of nutrients that are important to human nutrition. This guide has been developed with the best intention to create interest and improve understanding of some important food plants in the Blue Mountains. It is not a comprehensive guide of food plants for the Blue Mountains. Other important nutritious plants may be equally useful. Please contact Food Plant Solutions if you would like

further information about these, or more detailed information about the ones selected.

Food Plant Solutions Rotarian Action Group was initiated by the Rotary Club of Devonport North to assist in creating awareness of the edible plant database developed by Food Plants International, and its potential in addressing malnutrition and food security in any country of the world. In June 2007, Food Plant Solutions was established as a project of Rotary District 9830, the Rotary Club of Devonport North and Food Plants International.

The primary objective of the project is to increase awareness and understanding of the vast food resource that exists in the form of local plants, which are well adapted to the prevailing conditions where they naturally occur, and how this resource may be used to address hunger, malnutrition and food security.

For more information, visit the website www.foodplantsolutions.org or email info@foodplantsolutions.org

DISCLAIMER:

This Guide has been produced using information from the "Edible Plants of the World" database compiled by Bruce French of Food Plants International. Although great care has been taken by Food Plants International and Food Plant Solutions, neither organisation, or the people involved in the compilation of the database or this Field Guide:

- makes any expressed or implied representation as to the accuracy of the information contained in the database or the Field Guide, and cannot be held legally responsible or accept liability for any errors or omissions
- can be held responsible for claims arising from the mistaken identity of plants or their inappropriate use
- assume responsibility for sickness, death or other harmful effects resulting from eating or using any plant described in the database or this Field Guide

Always be sure you have the correct plant and undertake proper preparation methods.